

```
CREATE OR REPLACE PROCEDURE PATH_SRCH
( p_submit varchar2 default null
, p_query varchar2 default null
, p_param varchar2 default null
) IS

TYPE result_cur_type IS REF CURSOR;
cur_result          result_cur_type;

v_portal_label      varchar2(30);

v_sql               varchar2(32000);
v_sql1              varchar2(32000);

v_page              varchar2(20) := 'PAGE';
v_process            varchar2(20) := 'PROCESS';
v_component          varchar2(20) := 'COMPONENT';

BEGIN

http.htmlopen;
http.bodyopen;
http.p('<table class="psoft1">');
http.p('<caption>Search Path</caption>');
http.p('<tr><td><form name=calform action=' || 'PATH_SRCH' || ' method=get></td></tr>');
http.p('<tr><td align="left"><b>SEARCH BY</b></td>');
http.p('<td align="right"><select name="p_query">');
http.p('<option selected>' || p_query || '</option>');
if v_page = p_query then
    null;
else
    http.p('<option>' || v_page || '</option>');
end if;
if v_process = p_query then
    null;
else
    http.p('<option>' || v_process || '</option>');
end if;
if v_component = p_query then
    null;
else
    http.p('<option>' || v_component || '</option>');
end if;
```



```
v_sql1 := replace(v_sql,':p_param', p_param);

open cur_result for v_sql1;
loop
fetch cur_result into v_portal_label;
exit when cur_result%notfound;

if v_portal_label = 'Root' then

    http.p( '<br><font color=navy><b>' || trim(v_portal_label || ' ></b></font>');

else

    http.p('<font color=navy><b>' || trim(v_portal_label || ' ></b></font> ');

end if;

end loop;
close cur_result;

http.p('</tr>');
http.tableclose;

end if;

http.bodyclose;
http.htmlclose;

END;
/
```